

COA LEVEL 1 DATA FORM

Hospital No..... Sex.... DoB..... Surgeon Code.....

Pre-op:

Date listed

Side of operation Left / Right

Stage of surgery Primary / Revision

Symptoms Deafness / Intermittent discharge / Persistent discharge / Earache /
Facial Palsy / None

Primary aim of surgery Dry ear / Hearing gain / Restoration of normal anatomy / Waterproofing /
Removal of Pathology

Possible risk factors None / Diabetes / Cleft palate / Down's Syndrome / Other

Smoking Smoker / Exposed to smoking at home / No

Contralateral middle ear Normal / Active COM / Inactive COM / OME / Other

Operation

Date of operation:

Surgeon grade: Consultant / SAS / SpR (Year 1 / 2 / 3 / 4 / 5 / 6) / SHO

Supervised by Consultant Yes / No / NA

Audiometry: Date of most recent audiogram

	500	1000	2000	3000	4000	8000
Op ear AC						
Op ear BC						
Non-op AC						
Non-op BC						

Unexpected cholesteatoma Attic / Sinus / Other / NA

Eardrum collapse Tensa posterior / Flaccida / Non-aerated ME / Other / NA

Perforation size%

Perforation site Tensa anterior / Tensa posterior / Tensa inferior / Flaccida/ Subtotal / Total

Ossicular chain Mobile / Fixed / Eroded / Not assessed

ME Mucosa Granulation / Oedematous / Fibro-adhesive / Tympanosclerosis in ME / Normal

Discharge Yes / No

Procedure Myringoplasty / Ossiculoplasty/ Atticotomy / Attico-antroostomy / Mod Rad / Cortical /ICW + posterior tympanotomy/ Stapedotomy / Tympanotomy / Widening bony canal/ Other

Chorda Tympani Cut / Displaced / Not displaced / Lacerated / NA

Grafting method Onlay / Underlay / Other / NA

Grafting material Fascia / Perichondrium / Perichondrium with cartilage / Cartilage / Periostium / Homograft/ Xenograft/ Fat / Other / NA

Post-op:

Date of assessment

Complications Alteration of taste / Facial palsy / Hearing loss / Tinnitus / Vertigo / Wound infection / Other / NA

Discharge Nil / Intermittent / Persistent

Otoscopic appearance Intact / Not intact / Myringitis / Anterior blunting / Atelectasis * / Retraction pocket / Lateralization / Meatal stenosis / Complete collapse / OME / Not assessed / Normal

Cholesteatoma Recurrence / Residual / NA

Audiogram:

	500	1000	2000	3000	4000	8000
Op ear AC						
Op ear BC						

* medialization of eardrum without complete collapsing